# **Vet**Solution **URINARY STRUVITE**





MONGE VETSOLUTION URINARY STRUVITE FELINE is a complete dietetic feed for cats formulated for the dissolution of struvite stones, the reduction of struvite stones recurrence and the feline urological syndrome - FUS. Contains melon juice concetrate to neutralize free radicals, cranberry for urinary support and Xylo-oligosaccharides (XOS) to secure the intestinal microbiota. The formulation is characterized by urine acidifying properties and low level of magnesium.

## **COMPOSITION:**

hydrolysed salmon protein (19%), tapioca, potatoes, animal fat (chicken oil)\*, dried chicken meat, pea fibre, animal fat (tallow)\*, dried carrots, fish oil (salmon oil)\*, minerals, Xylo-Oligosaccharides (XOS 0.4%), Yucca schidigera, dried cranberry (0.05%), products and by-products from processing fresh fruits and vegetables (melon juice concentrate - Cucumis melo cantalupensis - source of superoxidedismutase 0.005%), milk protein powder. \*purified at 99.6%, preserved with natural antioxidants.

## **ANALYTICAL CONSTITUENTS:**

Crude protein: 33% - Crude Fibre: 3.9% - Crude fat: 17% - Crude ash: 7% - Calcium: 1.3% - Phosphorus: 0.8% - Sodium: 0.8% - Magnesium: 0.06% - Potassium: 1.2% - Chlorides: 1.9% - Sulphur: 0.16% - Total Taurine: 0.4%. Urine acidifying substances: Ammonium Chloride: 0,2% - Potassium Chloride: 0,4%.

# ADDITIVES/kg:

#### NUTRITIONAL ADDITIVES:

Vitamin A (Retinyl Acetate) 16,000 IU, Vitamin D3 900 IU, Selenium (Sodium selenite 0.25 mg) 0.11 mg, Manganese (manganous sulphate monohydrate 72 mg) 23 mg, Copper (Copper (II) sulphate pentahydrate 36 mg) 9 mg, Iron (Iron (II) sulphate monohydrate 234 mg) 77 mg, lodine (Calcium iodate anhydrous 6.8 mg) 4.45 mg, DL-methionine technically pure: 2000 mg, L-Carnitine: 100 mg - Taurine 2500 mg.

#### TECHNOLOGICAL ADDITIVES:

Tocopherol extracts from vegetable oils.

#### **FEEDING INSTRUCTIONS:**

It is recommended that advice from a veterinarian be sought before use and before extending the period of use. Recommended daily feeding intakes in grams is reported in the Table, to be fed in two meals. Fresh and clean water should be available at all times. Recommended length of time for use from 5 to 12 weeks for the dissolution of struvite stones and initially up to 6 month for the reduction of struvite stone recurrence. Pet food only, not suitable for human consumption.

# **STORAGE CONDITIONS:**

To keep stored in a cool dry place. Best before and batch no .: see package marking.

#### NET OUANTITY:

400g - 1,5kg

#### Recommended daily feeding intakes (grams/day)

Weight of adult cat (in kg)	2	3	4	5	6	7	8	9	10
Recommended intakes (g/day)									
Silhouette thin	30	40	50	55	65	75	80	90	95
Silhouette ideal	25	35	45	55	60	70	75	80	90
Silhouette heavy	25	35	40	50	55	65	70	75	80







MONGE & C. S.p.A. - Via Savigliano, 31 - 12030 Monasterolo di Savigliano (CN) - Italy Tel. + 39 0172 747111 Fax + 39 0172 747199 it F-mail: info@monge.it







